


PART REV.	DWG. REV.	ECO#	ZONE	DESCRIPTION OF CHANGE	REV. BY	APPD	DATE
B	B			CREATE FOR RFA J25	WENDY	DAVID	11-08-17



**PIN ASSIGNMENT**

P1	P2
B18	A18
B17	A17
B16	A16
B15	A15
B14	A14
B13	A13
B12	A12
B11	A11
B10	A10
B9	A9
B8	A8
B7	A7
B6	A6
B5	A5
B4	A4
B3	A3
B2	A2
B1	A1
A18	B18
A17	B17
A16	B16
A15	B15
A14	B14
A13	B13
A12	B12
A11	B11
A10	B10
A9	B9
A8	B8
A7	B7
A6	B6
A5	B5
A4	B4
A3	B3
A2	B2
A1	B1

**ELECTRICAL TEST:**

- 1.OPEN / SHORT 100% TEST.
- 2.CONTACT RESISTANCE : 1Ω(MAX).
3. INSULATION RESISTANCE : 20MΩ (MIN).
- 4.HI-POT : DC 300V /10MS.

**Legend:**

- :High-Speed Serial Differential Pairs
- :Signal Return
- :Sideband Signal

12	4-15-0044-001001	NYLON BRAID W=10.0mm <BLACK> 1*72	770.0	mm
11	3-01-0004-003001	PVC 30P BLACK (MINI SAS 36P Dustproof cover 2PCS)	12	g
10	4-20-0062-002001	ACETATE TAPE BLACK W=20mm	50.0*2	mm
9	2-61-A042-011501	LATCH	2	PCS
8	3-03-0002-005001	PP BLACK	12	g
7	3-02-0002-086701	TRL-THERMELT-867	6	g
6	2-70-0001-011501	MINI SAS 36P PCB	2	PCS
5	1-58-0022-200209	Non-UL FLAT CABLE:30#*4C*PH 0.8mm GRAY	780*2	mm
4	1-61-0052-200251	2C*30#+2D+AL-MYLAR+THERMOPLASTIC-MYLAR BLUE 04 (Non UL)	780*2	mm
3	1-61-0051-200251	2C*30#+2D+AL-MYLAR+THERMOPLASTIC-MYLAR BLUE 03 (Non UL)	780*2	mm
2	1-61-0050-200251	2C*30#+2D+AL-MYLAR+THERMOPLASTIC-MYLAR BLUE 02 (Non UL)	780*2	mm
1	1-61-0049-200251	2C*30#+2D+AL-MYLAR+THERMOPLASTIC-MYLAR BLUE 01 (Non UL)	780*2	mm
NO.	PART NO.	DESCRIPTION	Q'TY	UNIT

©COPYRIGHT 1995 MAJESTIC TECHNOLOGY CORPORATION

TOLERANCES (EXCEPT TITLE BLOCK DATA AND UNLESS OTHERWISE SPECIFIED)	DRAWN BY WENDY LIU	DATE 11-08-17	
LINER ANGLES	CHECKED BY VINCENT HO	DATE 11-08-17	
ALL DIMENSIONS ARE IN THIRD ANGLE PROJECTION	APPROVED BY DAVID HUANG	DATE 11-08-17	PART NAME:
SIZE C	PART NO. 04-7017-07	REV. A0	MINI SAS 36P CABLE 750MM (MD-6706113)
			SCALE: 1 : 1 SHEET: 1 OF 1